

FIG. 1




FIG. 2




FIG. 4

File

Edit

View

Configuration

Options

Profiles

Portfolio

Help

1 New Initial Order

1 New Initial Order

Customer: 1 New Initial Order

Customer: 1 New Initial Order

1. pSeries and RS/6000

2. Software

3. P

Description

Cluster Model 1600

Cluster Switch

IntelliStation

Express Configurations

pSeries 610

pSeries 620

pSeries 630

pSeries 640

pSeries 650

7038-6M2

I/O Drawer-(7311-D10)

I/O Drawer-(7311-D20)

pSeries 655

pSeries 660

pSeries 670

pSeries 690

Hardware Management Console

pSeries HA Solutions

pSeries Control Workstation for 9078

Qty

Wizard

Global Settings (United States)(Initial)

Price File: US;Dollars;pSeries or RS/600

Software Global Options

1 7038-6M2 : Rack Server 1

Software Products (7038-6M2 : Rack)

Diagram

Messages

Proposed

A final validation is required to complete this configuration

MUST READ: There are 7038-6M2s not currently racked. It is rec

The standalone p650 needs specific PDUs

SW applications not supported by ECFGRS6000 should be valida

7038-6M2: Rack Server 1, has requirement for 5765-E61 AIX V5.

Rack Server 1 requires a display or ASCII terminal for initial setup

A UPS is recommended with the server to provide protection from




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

File Edit View Configuration Options Profiles Portfolio Help

Customer: 1 New Initial Order

1. pSeries and RS/6000

2. Software

3. P

Cluster Model 1600

Cluster Switch

IntelliStation

Express Configurations

pSeries 610

pSeries 620

pSeries 630

pSeries 640

pSeries 650

7038-6M2

I/O Drawer-(7311-D10)

I/O Drawer-(7311-D20)

pSeries 655

pSeries 660

pSeries 670

pSeries 690

Hardware Management Console

pSeries HA Solutions

pSeries Control Workstation for 9078

Qty

Wizard

Global Settings (United States)(Initial)

Price File: US;Dollars;pSeries or RS/600

Software Global Options

1 7038-6M2 : Rack Server 1

1 I/O Drawer-(7311-D10) : I/O Drawer

Software Products (7038-6M2 : Rack)

Diagram Messages Proposed

⊗ A final validation is required to complete this configuration

⊗ MUST READ: There are 7038-6M2s not currently racked. It is rec

⚠ The standalone p650 needs specific PDUs

ⓘ SW applications not supported by ECFGRS6000 should be valida

ⓘ 7038-6M2: Rack Server 1, has requirement for 5765-E61 AIX V5.

ⓘ Rack Server 1 requires a display or ASCII terminal for initial setup

ⓘ A UPS is recommended with the server to provide protection from

ⓘ The total number of RIO-G cables is - on D10 IO Drawers: 2; Dou

ⓘ The total number of SPCN cables in D10/D20 IO Drawer is: 2. Dr

ⓘ [GreenLight SuperSale]

Jump to P650 Software Wizard

Detailed Message Text

Jump to Wizard

Launch New 7311-D10 Wizard

Launch New 7014-T00 Wizard

Launch New Tape Wizard

Launch New Services Wizard

FIG. 11

File

Edit

View

Co

Customer:

1 New

SYS: 1 New

7014 - T00 : Rack 1 - Options

Options

Additional

Special Codes

Rack Content Codes

Name

7014-T00 : Rack 1

Office Type

Standard Office A/C

Phase Type

Single Phase Power

Power Distribution Unit

(9176) - Power Distribution Unit Specify - Side Mount, Single Phase, L6-30 Connector

Additional Power Distribution Units

(7177) - Power Distribution Unit-Side Mount, Single Phase, IEC-309 Conn

(7176) - Power Distribution Unit-Side Mount, Single Phase, L6-30 Connec

(6171) - Power Distribution Unit-Side Mount, Single Phase

Rack Accessories / Options

(6068) - Front door (Black) for 1.8M (High Perforation) racks.

(6080) - Ruggedized Rack Feature

(6098) - Side panel (black) for 1.8M (36U) of 2M (42U) racks.

(6099) - Side panel (white) for 1.8M (36U) of 2M (42U) racks.

(6101) - Optional front door (black) for 1.8M OEM racks.

Interim Price

< Previous

Next >

Configure

Cancel

Reset Page

1 7038-6M2 : Rack Server 1

1 I/O Drawer-(7311-D10) : I/O Drawer

1 Software Products (7038-6M2 : Rack)

1102

1142

FIG. 12

File

Edit

View

Configuration

Options

Profiles

Portfolio

Help

1 New Initial Order

1 New Initial Order

Customer: 1 New Initial Order

Customer: 1 New Initial Order

1.pSeries and RS/6000

2. Software

3. P

Description

Cluster Model 1600

Cluster Switch

IntelliStation

Express Configurations

pSeries 610

pSeries 620

pSeries 630

pSeries 640

pSeries 650

7038-6M2

I/O Drawer-(7311-D10)

I/O Drawer-(7311-D20)

pSeries 655

pSeries 660

pSeries 670

pSeries 690

Hardware Management Console

pSeries HA Solutions

pSeries Control Workstation for 9078

Qty

Wizard

Global Settings (United States)(Initial)

Price File: US:Dollars;pSeries or RS/600

1 7014-T00 : Rack 1

1 7038-6M2 : Rack Server 1

1 I/O Drawer-(7311-D10) : I/O Drawer1

1 I/O Drawer-(7311-D10) : I/O Drawer2

Diagram

Messages

Proposed

⊗

A final validation is required to complete this configuration

⊗

MUST READ: There are 7038-6M2s not currently racked. It is rec

⚠

The standalone p650 needs specific PDUs

⚠

SW applications not supported by ECFGRS6000 should be valida

⚠

7038-6M2: Rack Server 1, has requirement for 5765-E61 AIX V5.

⚠

Rack Server 1 requires a display or ASCII terminal for initial setup

⚠

A UPS is recommended with the server to provide protection from

⚠

The total number of RIO-G cables is - on D10 IO Drawers: 2; Dou

⚠

The total number of SPCN cables in D10/D20 IO Drawer is: 2. Dr

⚠

[GreenLight SuperSale]

Jump to P650 Software Wizard

Detailed Message Text

Jump to Wizard

Launch New 7311-D10 Wizard

Launch New Tape Wizard

Launch New Services Wizard

FIG. 13

1300





FIG. 14






FIG. 15

FIG. 16




FIG. 17

--	--	--	--	--	--	--	--

Customer: SYS: 1 New

1 New Initial Order

1. pSeries and RS/6000	2. Software	3. X-SELL	4. Services
Description			
<input type="checkbox"/> Displays (0 X-SELL Product) <input checked="" type="checkbox"/> Networking (0 X-SELL Product) <input checked="" type="checkbox"/> Cryptographic Coprocessor (0 X-SELL Product) <input checked="" type="checkbox"/> Printer Hardware (0 X-SELL Product) <input type="checkbox"/> UPS (4 X-SELL Products) <input type="checkbox"/> UPS to Support Rack Mount Servers <input type="checkbox"/> 9910-M30 Pulsar Evolution 3000IRM, 3000VA, 200-240V, 50/60HZ <input type="checkbox"/> 9910-P33 PowerWare UPS 5125 3000VA, 220-240V, 50/60 <input type="checkbox"/> 9910-A30 APC Smart UPS 5000VA, 220-240V, 50/60HZ <input type="checkbox"/> 9910-P60 PowerWare UPS 5140 6000VA, 220-240V, 50/60 <input type="checkbox"/> Storage (0 X-SELL Product) <input type="checkbox"/> Current <input type="checkbox"/> Automated Tape Library <input type="checkbox"/> Disk <input type="checkbox"/> Network Attached Storage <input type="checkbox"/> Optical <input type="checkbox"/> Storage Area Network			
Qty	Wizard		
Global Settings (United States)(Initial)			
L Price File: US:Dollars;pSeries or RS/6000 Comm; 2003/04/10			